

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3	("5732330" "6208875" "6584304").PN.	US-PGPUB; USPAT	OR	ON	2009/08/31 08:35
L2	0	mixer and amplif\$6 and ooscillator	US-PGPUB; USPAT	OR	ON	2009/08/31 08:35
L3	31709	mixer and amplif\$6 and ooscillator	US-PGPUB; USPAT	OR	ON	2009/08/31 08:35
L4	10169	L3 and "455".cls.	US-PGPUB; USPAT	OR	ON	2009/08/31 08:35
L5	2231	L4 and (frequency near2 synthesiz\$3)	US-PGPUB; USPAT	OR	ON	2009/08/31 08:35
L6	664	455/76.ccls.	US-PGPUB; USPAT	OR	ON	2009/08/31 08:35
L7	98	455/85.ccls.	US-PGPUB; USPAT	OR	ON	2009/08/31 08:35
L8	309	455/86.ccls.	US-PGPUB; USPAT	OR	ON	2009/08/31 08:35
L9	122	455/87.ccls.	US-PGPUB; USPAT	OR	ON	2009/08/31 08:35
L10	516	455/118.ccls.	US-PGPUB; USPAT	OR	ON	2009/08/31 08:35
L11	117	455/147.ccls.	US-PGPUB; USPAT	OR	ON	2009/08/31 08:35
L12	74	455/148.ccls.	US-PGPUB; USPAT	OR	ON	2009/08/31 08:35
L13	169	455/165.1.ccls.	US-PGPUB; USPAT	OR	ON	2009/08/31 08:35
L14	282	455/183.1.ccls.	US-PGPUB; USPAT	OR	ON	2009/08/31 08:35
L15	948	455/323.ccls.	US-PGPUB; USPAT	OR	ON	2009/08/31 08:35
L16	435	455/324.ccls.	US-PGPUB; USPAT	OR	ON	2009/08/31 08:35

L17	10	("20010021662" "20060025100" "20060223483" "4470147" "4731796" "6091963" "6335952" "6397044" "6480709" "6735422").PN.	US-PGPUB; USPAT	OR	ON	2009/08/31 08:35
L18	2750	L7 L8 L9 L10 L11 L12 L13 L14 L15 L16	US-PGPUB; USPAT	OR	ON	2009/08/31 08:35
L19	1529	L3 and L18	US-PGPUB; USPAT	OR	ON	2009/08/31 08:35
L20	1	10/572,725.app.	US-PGPUB; USPAT	OR	ON	2009/08/31 08:35
L21	3169	(baseband same (direct near conver\$5)) (zero near (if (intermediate near frequency)))	US-PGPUB; USPAT	OR	ON	2009/08/31 08:35
L22	31709	mixer and amplif\$6 and oscillator	US-PGPUB; USPAT	OR	ON	2009/08/31 08:35
L23	10169	L22 and "455".clas.	US-PGPUB; USPAT	OR	ON	2009/08/31 08:35
L24	2231	L23 and (frequency near2 synthesiz\$3)	US-PGPUB; USPAT	OR	ON	2009/08/31 08:35
L25	332	L21 and L24	US-PGPUB; USPAT	OR	ON	2009/08/31 08:35
L26	22377	amplifier same (input near2 (impedence resist \$6))	US-PGPUB; USPAT	OR	ON	2009/08/31 08:35
L27	104	L26 and L21	US-PGPUB; USPAT	OR	ON	2009/08/31 08:35
L28	1982	lc near tank	US-PGPUB; USPAT	OR	ON	2009/08/31 08:35
L29	280	L28 and "455".clas.	US-PGPUB; USPAT	OR	ON	2009/08/31 08:35
L30	229840	L28 (oscillator)	US-PGPUB; USPAT	OR	ON	2009/08/31 08:35
L31	3761	L30 with (digital near2 (adjust\$3 tun\$3 control \$4 var\$4))	US-PGPUB; USPAT	OR	ON	2009/08/31 08:35
L32	585	L31 and "455".clas.	US-PGPUB; USPAT	OR	ON	2009/08/31 08:35
L33	32	L30 with (digital near2 (adjust\$3 tun\$3 control \$4 var\$4) near2 (inductor capacitor))	US-PGPUB; USPAT	OR	ON	2009/08/31 08:35

L34	454	L30 same (digital\$2 near2 (adjust\$3 tun\$3 control\$4 var\$4) with (inductor capacitor))	US-PGPUB; USPAT	OR	ON	2009/08/31 08:35
L35	80	L34 and "455".clas.	US-PGPUB; USPAT	OR	ON	2009/08/31 08:35
L36	3	("5732330" "6208875" "6584304"). FN.	US-PGPUB; USPAT	OR	ON	2009/08/31 08:35
L37	0	mixer and amplif\$6 and ooscillator	US-PGPUB; USPAT	OR	ON	2009/08/31 08:35
L38	31709	mixer and amplif\$6 and ooscillator	US-PGPUB; USPAT	OR	ON	2009/08/31 08:35
L39	10169	L38 and "455".clas.	US-PGPUB; USPAT	OR	ON	2009/08/31 08:35
L40	2231	L39 and (frequency near2 synthesiz\$3)	US-PGPUB; USPAT	OR	ON	2009/08/31 08:35
L41	664	455/76.ccls.	US-PGPUB; USPAT	OR	ON	2009/08/31 08:35
L42	98	455/85.ccls.	US-PGPUB; USPAT	OR	ON	2009/08/31 08:35
L43	309	455/86.ccls.	US-PGPUB; USPAT	OR	ON	2009/08/31 08:35
L44	122	455/87.ccls.	US-PGPUB; USPAT	OR	ON	2009/08/31 08:35
L45	516	455/118.ccls.	US-PGPUB; USPAT	OR	ON	2009/08/31 08:35
L46	117	455/147.ccls.	US-PGPUB; USPAT	OR	ON	2009/08/31 08:35
L47	74	455/148.ccls.	US-PGPUB; USPAT	OR	ON	2009/08/31 08:35
L48	169	455/165.1.ccls.	US-PGPUB; USPAT	OR	ON	2009/08/31 08:35
L49	282	455/183.1.ccls.	US-PGPUB; USPAT	OR	ON	2009/08/31 08:35
L50	948	455/323.ccls.	US-PGPUB; USPAT	OR	ON	2009/08/31 08:35
L51	435	455/324.ccls.	US-PGPUB; USPAT	OR	ON	2009/08/31 08:35
L52	10	("20010021662" "20060025100" "20060223483" "4470147" "4731796" "6091963" "6335952" "6397044" "6480709" "6735422").FN.	US-PGPUB; USPAT	OR	ON	2009/08/31 08:35

L53	2750	L42 L43 L44 L45 L46 L47 L48 L49 L50 L51	US-PGPUB; USPAT	OR	ON	2009/08/31 08:35
L54	1529	L38 and L53	US-PGPUB; USPAT	OR	ON	2009/08/31 08:35
L55	1	10/572,725.app.	US-PGPUB; USPAT	OR	ON	2009/08/31 08:35
L56	3169	(baseband same (direct near conver\$5)) (zero near (if (intermediate near frequency)))	US-PGPUB; USPAT	OR	ON	2009/08/31 08:35
L57	31709	mixer and amplif\$6 and oscillator	US-PGPUB; USPAT	OR	ON	2009/08/31 08:35
L58	10169	L57 and "455".clas.	US-PGPUB; USPAT	OR	ON	2009/08/31 08:35
L59	2231	L58 and (frequency near2 synthesiz\$3)	US-PGPUB; USPAT	OR	ON	2009/08/31 08:35
L60	332	L56 and L59	US-PGPUB; USPAT	OR	ON	2009/08/31 08:35
L61	22377	amplifier same (input near2 (impedence resist \$6))	US-PGPUB; USPAT	OR	ON	2009/08/31 08:35
L62	104	L61 and L56	US-PGPUB; USPAT	OR	ON	2009/08/31 08:35
L63	1982	lc near tank	US-PGPUB; USPAT	OR	ON	2009/08/31 08:35
L64	280	L63 and "455".clas.	US-PGPUB; USPAT	OR	ON	2009/08/31 08:35
L65	229840	L63 (oscillator)	US-PGPUB; USPAT	OR	ON	2009/08/31 08:35
L66	3761	L65 with (digital near2 (adjust\$3 tun\$3 control \$4 var\$4))	US-PGPUB; USPAT	OR	ON	2009/08/31 08:35
L67	585	L66 and "455".clas.	US-PGPUB; USPAT	OR	ON	2009/08/31 08:35
L68	32	L65 with (digital near2 (adjust\$3 tun\$3 control \$4 var\$4) near2 (inductor capacitor))	US-PGPUB; USPAT	OR	ON	2009/08/31 08:35
L69	454	L65 same (digital\$2 near2 (adjust\$3 tun\$3 control\$4 var\$4) with (inductor capacitor))	US-PGPUB; USPAT	OR	ON	2009/08/31 08:35
L70	80	L69 and "455".clas.	US-PGPUB; USPAT	OR	ON	2009/08/31 08:35
L71	1	"6208875".pn.	US-PGPUB; USPAT	OR	ON	2009/08/31 08:35

L72	1	"20040048591".pn.	US-PGPUB; USPAT	OR	ON	2009/08/31 08:35
L73	1	"6072372".pn.	US-PGPUB; USPAT	OR	ON	2009/08/31 08:35
L74	11	("20030114129" "20050014476" "4541119" "5821820" "5929708" "5929716" "6215988" "6567488" "6708044" "6766178" "6993314").PN.	US-PGPUB; USPAT	OR	ON	2009/08/31 08:35
L75	0	(voltage and controlled and oscillator and varactor and phase and lock\$3 and transistor\$2 and source and gate). clm.	US-PGPUB; USPAT	OR	ON	2009/08/31 08:35
L76	31	(voltage and controlled and oscillator and varactor and phase and lock\$3 and transistor\$2 and source and gate). clm.	US-PGPUB; USPAT	OR	ON	2009/08/31 08:35
L77	1803	oscillator near4 varactor	US-PGPUB; USPAT	OR	ON	2009/08/31 08:35
L78	97	oscillator near4 varactor and multiband	US-PGPUB; USPAT	OR	ON	2009/08/31 08:35
L79	219	oscillator near4 (amp amplifier) and multiband	US-PGPUB; USPAT	OR	ON	2009/08/31 08:35
L80	144	oscillator near4 (amp amplifier) and multiband and control near4 voltage	US-PGPUB; USPAT	OR	ON	2009/08/31 08:36
L81	0	455/180.4.ccls. and varactor	US-PGPUB; USPAT	OR	ON	2009/08/31 08:36
L82	55	455/180.4.ccls. and varactor	US-PGPUB; USPAT	OR	ON	2009/08/31 08:36
L83	45	455/180.4.ccls. and varactor and (amp amplifier)	US-PGPUB; USPAT	OR	ON	2009/08/31 08:36
L84	8	455/180.4.ccls. and varactor and (amp amplifier) and phase near3 locked	US-PGPUB; USPAT	OR	ON	2009/08/31 08:36

L85	37	varactor and (amp amplifier) same phase near4 locked and multiband	US-PGPUB; USPAT	OR	ON	2009/08/31 08:36
L86	14	L85 and "455".clas.	US-PGPUB; USPAT	OR	ON	2009/08/31 08:36
L87	37	varactor and (amp amplifier) same phase near4 locked and multiband	US-PGPUB; USPAT	OR	ON	2009/08/31 08:36
L88	201	(amp amplifier) same (phase near4 locked pli) and multiband	US-PGPUB; USPAT	OR	ON	2009/08/31 08:36
L89	664	455/76.ccls.	US-PGPUB; USPAT	OR	ON	2009/08/31 08:36
L90	98	455/85.ccls.	US-PGPUB; USPAT	OR	ON	2009/08/31 08:36
L91	309	455/86.ccls.	US-PGPUB; USPAT	OR	ON	2009/08/31 08:36
L92	122	455/87.ccls.	US-PGPUB; USPAT	OR	ON	2009/08/31 08:36
L93	516	455/118.ccls.	US-PGPUB; USPAT	OR	ON	2009/08/31 08:36
L94	117	455/147.ccls.	US-PGPUB; USPAT	OR	ON	2009/08/31 08:36
L95	74	455/148.ccls.	US-PGPUB; USPAT	OR	ON	2009/08/31 08:36
L96	169	455/165.1.ccls.	US-PGPUB; USPAT	OR	ON	2009/08/31 08:36
L97	282	455/183.1.ccls.	US-PGPUB; USPAT	OR	ON	2009/08/31 08:36
L98	948	455/323.ccls.	US-PGPUB; USPAT	OR	ON	2009/08/31 08:36
L99	435	455/324.ccls.	US-PGPUB; USPAT	OR	ON	2009/08/31 08:36
L100	1	"5526377".pn.	US-PGPUB; USPAT	OR	ON	2009/08/31 08:36
S1	3	("5732330" "6208875" "6584304").PN.	US-PGPUB; USPAT	OR	ON	2008/01/27 16:54
S2	0	mixer and amplif\$6 and ooscillator	US-PGPUB; USPAT	OR	ON	2008/01/25 13:04
S3	27624	mixer and amplif\$6 and ooscillator	US-PGPUB; USPAT	OR	ON	2008/01/25 13:04
S4	8876	S3 and "455".clas.	US-PGPUB; USPAT	OR	ON	2008/01/25 13:09

S5	1938	S4 and (frequency near2 synthesiz\$3)	US-PGPUB; USPAT	OR	ON	2008/01/25 13:05
S6	595	455/76.ccls.	US-PGPUB; USPAT	OR	ON	2008/01/25 13:34
S7	84	455/85.ccls.	US-PGPUB; USPAT	OR	ON	2008/01/25 13:11
S8	284	455/86.ccls.	US-PGPUB; USPAT	OR	ON	2008/01/25 13:11
S9	111	455/87.ccls.	US-PGPUB; USPAT	OR	ON	2008/01/25 13:30
S10	449	455/118.ccls.	US-PGPUB; USPAT	OR	ON	2008/01/25 13:30
S11	106	455/147.ccls.	US-PGPUB; USPAT	OR	ON	2008/01/25 13:30
S12	71	455/148.ccls.	US-PGPUB; USPAT	OR	ON	2008/01/25 13:30
S13	153	455/165.1.ccls.	US-PGPUB; USPAT	OR	ON	2008/01/25 13:30
S14	265	455/183.1.ccls.	US-PGPUB; USPAT	OR	ON	2008/01/25 13:30
S15	802	455/323.ccls.	US-PGPUB; USPAT	OR	ON	2008/01/25 13:34
S16	387	455/324.ccls.	US-PGPUB; USPAT	OR	ON	2008/01/25 13:34
S17	10	("20010021662" "20060025100" "20060223483" "4470147" "4731796" "6091963" "6335952" "6397044" "6480709" "6735422").PN.	US-PGPUB; USPAT	OR	ON	2008/01/25 13:39
S18	2440	S7 S8 S9 S10 S11 S12 S13 S14 S15 S16	US-PGPUB; USPAT	OR	ON	2008/01/25 13:39
S19	1317	S3 and S18	US-PGPUB; USPAT	OR	ON	2008/01/25 13:40
S20	1	10/572,725.app.	US-PGPUB; USPAT	OR	ON	2008/01/27 17:17
S21	2451	(baseband same (direct near conver\$5)) (zero near (if (intermediate near frequency)))	US-PGPUB; USPAT	OR	ON	2008/01/28 08:10
S22	27624	mixer and amplif\$6 and oscillator	US-PGPUB; USPAT	OR	ON	2008/01/27 17:17
S23	8876	S22 and "455".clas.	US-PGPUB; USPAT	OR	ON	2008/01/27 17:17

S24	1938	S23 and (frequency near2 synthesiz\$3)	US-PGPUB; USPAT	OR	ON	2008/01/27 17:17
S25	242	S21 and S24	US-PGPUB; USPAT	OR	ON	2008/01/27 17:18
S26	21022	amplifier same (input near2 (impedence resist \$6))	US-PGPUB; USPAT	OR	ON	2008/01/27 17:19
S27	79	S26 and S21	US-PGPUB; USPAT	OR	ON	2008/01/27 17:19
S28	1538	lc near tank	US-PGPUB; USPAT	OR	ON	2008/01/28 08:16
S29	229	S28 and "455".clas.	US-PGPUB; USPAT	OR	ON	2008/01/28 08:11
S30	203781	S28 (oscillator)	US-PGPUB; USPAT	OR	ON	2008/01/28 08:16
S31	3247	S30 with (digital near2 (adjust\$3 tun\$3 control \$4 var\$4))	US-PGPUB; USPAT	OR	ON	2008/01/28 08:20
S32	523	S31 and "455".clas.	US-PGPUB; USPAT	OR	ON	2008/01/28 08:18
S33	27	S30 with (digital near2 (adjust\$3 tun\$3 control \$4 var\$4) near2 (inductor capacitor))	US-PGPUB; USPAT	OR	ON	2008/01/28 08:36
S34	332	S30 same (digital\$2 near2 (adjust\$3 tun\$3 control\$4 var\$4) with (inductor capacitor))	US-PGPUB; USPAT	OR	ON	2008/01/28 08:37
S35	66	S34 and "455".clas.	US-PGPUB; USPAT	OR	ON	2008/01/28 08:38
S36	3	("5732330" "6208875" "6584304"). PN.	US-PGPUB; USPAT	OR	ON	2008/07/18 13:01
S37	0	mixer and amplif\$6 and ooscillator	US-PGPUB; USPAT	OR	ON	2008/07/18 13:01
S38	28893	mixer and amplif\$6 and ooscillator	US-PGPUB; USPAT	OR	ON	2008/07/18 13:01
S39	9269	S38 and "455".clas.	US-PGPUB; USPAT	OR	ON	2008/07/18 13:01
S40	2013	S39 and (frequency near2 synthesiz\$3)	US-PGPUB; USPAT	OR	ON	2008/07/18 13:01
S41	613	455/ 76.ccls.	US-PGPUB; USPAT	OR	ON	2008/07/18 13:01
S42	86	455/ 85.ccls.	US-PGPUB; USPAT	OR	ON	2008/07/18 13:01

S43	293	455/86.ccls.	US-PGPUB; USPAT	OR	ON	2008/07/18 13:01
S44	117	455/87.ccls.	US-PGPUB; USPAT	OR	ON	2008/07/18 13:01
S45	474	455/118.ccls.	US-PGPUB; USPAT	OR	ON	2008/07/18 13:01
S46	107	455/147.ccls.	US-PGPUB; USPAT	OR	ON	2008/07/18 13:01
S47	73	455/148.ccls.	US-PGPUB; USPAT	OR	ON	2008/07/18 13:01
S48	156	455/165.1.ccls.	US-PGPUB; USPAT	OR	ON	2008/07/18 13:01
S49	267	455/183.1.ccls.	US-PGPUB; USPAT	OR	ON	2008/07/18 13:01
S50	856	455/323.ccls.	US-PGPUB; USPAT	OR	ON	2008/07/18 13:01
S51	401	455/324.ccls.	US-PGPUB; USPAT	OR	ON	2008/07/18 13:01
S52	10	("20010021662" "20060025100" "20060223483" "4470147" "4731796" "6091963" "6335952" "6397044" "6480709" "6735422").PN.	US-PGPUB; USPAT	OR	ON	2008/07/18 13:01
S53	2544	S42 S43 S44 S45 S46 S47 S48 S49 S50 S51	US-PGPUB; USPAT	OR	ON	2008/07/18 13:01
S54	1388	S38 and S53	US-PGPUB; USPAT	OR	ON	2008/07/18 13:01
S55	1	10/572,725.app.	US-PGPUB; USPAT	OR	ON	2008/07/18 13:01
S56	2650	(baseband same (direct near conver\$5)) (zero near (if (intermediate near frequency)))	US-PGPUB; USPAT	OR	ON	2008/07/18 13:01
S57	28893	mixer and amplif\$6 and oscillator	US-PGPUB; USPAT	OR	ON	2008/07/18 13:01
S58	9269	S57 and "455".clas.	US-PGPUB; USPAT	OR	ON	2008/07/18 13:01
S59	2013	S58 and (frequency near2 synthesiz\$3)	US-PGPUB; USPAT	OR	ON	2008/07/18 13:01
S60	257	S56 and S59	US-PGPUB; USPAT	OR	ON	2008/07/18 13:01
S61	21437	amplifier same (input near2 (impedence resist \$6))	US-PGPUB; USPAT	OR	ON	2008/07/18 13:01

S62	84	S61 and S56	US-PGPUB; USPAT	OR	ON	2008/07/18 13:01
S63	1655	lc near tank	US-PGPUB; USPAT	OR	ON	2008/07/18 13:01
S64	239	S63 and "455".clas.	US-PGPUB; USPAT	OR	ON	2008/07/18 13:01
S65	211585	S63 (oscillator)	US-PGPUB; USPAT	OR	ON	2008/07/18 13:01
S66	3380	S65 with (digital near2 (adjust\$3 tun\$3 control \$4 var\$4))	US-PGPUB; USPAT	OR	ON	2008/07/18 13:01
S67	544	S66 and "455".clas.	US-PGPUB; USPAT	OR	ON	2008/07/18 13:01
S68	28	S65 with (digital near2 (adjust\$3 tun\$3 control \$4 var\$4) near2 (inductor capacitor))	US-PGPUB; USPAT	OR	ON	2008/07/18 13:01
S69	376	S65 same (digital\$2 near2 (adjust\$3 tun\$3 control\$4 var\$4) with (inductor capacitor))	US-PGPUB; USPAT	OR	ON	2008/07/18 13:01
S70	70	S69 and "455".clas.	US-PGPUB; USPAT	OR	ON	2008/07/18 13:01
S71	1	"6208875".pn.	US-PGPUB; USPAT	OR	ON	2008/11/06 11:45
S72	1	"20040048591".pn.	US-PGPUB; USPAT	OR	ON	2008/11/06 11:46
S73	1	"6072372".pn.	US-PGPUB; USPAT	OR	ON	2008/11/06 11:47
S74	11	("20030114129" "20050014476" "4541119" "5821820" "5929708" "5929716" "6215988" "6567488" "6708044" "6766178" "6993314").PN.	US-PGPUB; USPAT	OR	ON	2008/11/06 11:53
S75	0	(voltage and controlled and oscillartor and varactor and phase and lock\$3 and transistor\$2 and source and gate). clm.	US-PGPUB; USPAT	OR	ON	2008/11/06 13:25

S76	28	(voltage and controlled and oscillator and varactor and phase and lock\$3 and transistor\$2 and source and gate). cm.	US-PGPUB; USPAT	OR	ON	2008/11/06 13:25
S77	1716	oscillator near4 varactor	US-PGPUB; USPAT	OR	ON	2008/11/06 13:26
S78	92	oscillator near4 varactor and multiband	US-PGPUB; USPAT	OR	ON	2008/11/06 13:26
S79	194	oscillator near4 (amp amplifier) and multiband	US-PGPUB; USPAT	OR	ON	2008/11/06 13:26
S80	132	oscillator near4 (amp amplifier) and multiband and control near4 voltage	US-PGPUB; USPAT	OR	ON	2008/11/06 13:27
S81	0	455/180.4.ccls. and varactor	US-PGPUB; USPAT	OR	ON	2008/11/06 13:27
S82	54	455/180.4.ccls. and varactor	US-PGPUB; USPAT	OR	ON	2008/11/06 13:27
S83	44	455/180.4.ccls. and varactor and (amp amplifier)	US-PGPUB; USPAT	OR	ON	2008/11/06 13:27
S84	8	455/180.4.ccls. and varactor and (amp amplifier) and phase near3 locked	US-PGPUB; USPAT	OR	ON	2008/11/06 13:28
S85	31	varactor and (amp amplifier) same phase near4 locked and multiband	US-PGPUB; USPAT	OR	ON	2008/11/06 13:28
S86	13	S85 and "455".clas.	US-PGPUB; USPAT	OR	ON	2008/11/06 13:28
S87	31	varactor and (amp amplifier) same phase near4 locked and multiband	US-PGPUB; USPAT	OR	ON	2008/11/06 13:29
S88	181	(amp amplifier) same (phase near4 locked pll) and multiband	US-PGPUB; USPAT	OR	ON	2008/11/06 13:29
S89	625	455/76.ccls.	US-PGPUB; USPAT	OR	ON	2008/11/06 13:30
S90	88	455/85.ccls.	US-PGPUB; USPAT	OR	ON	2008/11/06 13:30
S91	296	455/86.ccls.	US-PGPUB; USPAT	OR	ON	2008/11/06 13:30

S92	118	455/87.ccls.	US-PGPUB; USPAT	OR	ON	2008/11/06 13:30
S93	486	455/118.ccls.	US-PGPUB; USPAT	OR	ON	2008/11/06 13:30
S94	109	455/147.ccls.	US-PGPUB; USPAT	OR	ON	2008/11/06 13:30
S95	73	455/148.ccls.	US-PGPUB; USPAT	OR	ON	2008/11/06 13:30
S96	162	455/165.1.ccls.	US-PGPUB; USPAT	OR	ON	2008/11/06 13:30
S97	272	455/183.1.ccls.	US-PGPUB; USPAT	OR	ON	2008/11/06 13:30
S98	871	455/323.ccls.	US-PGPUB; USPAT	OR	ON	2008/11/06 13:30
S99	406	455/324.ccls.	US-PGPUB; USPAT	OR	ON	2008/11/06 13:30
S100	1	"5526377".pn.	US-PGPUB; USPAT	OR	ON	2008/11/06 13:49

EAST Search History (Interference)

< This search history is empty >

8/31/2009 8:39:16 AM**H:\EAST\Workspaces\10572725_direct_conversion_front_end_transceiver.wsp**